DOCUMENT RESUMB

ED 140 103 ---

CE 011 721

TITLE

NOTE

Safety and You on the Job.

INSTITUTION

West Virginia State Vocational Curriculum Lab., Cedar

Lakes.

SPONS AGENCY

Marshall Univ., Huntington, W. Va. Dept. of

Cocupational, Adult, and Safety Education.; West

Virginia State Dept. of Education, Charleston. Bureau

of Vocational, Technical, and Adult Education.

159p.

EDRS PRICE

MF-\$0.83 HC-\$8.69 Plus Postage.

DESCRIPTORS

*Accident Prevention; Curriculum Guides; Fire

Protection; *Safety Education; Secondary Education;

Transparencies; *Units of Study; *Vocational

Education; *Work Study Programs.

ABSTRACT

Designed to assist instructors to be consistent with the Fair Labor Standards Act, which requires schools to provide safety instruction to students involved in any type of work experience or on-the-job training program, this curriculum guide presents a program to prepare students to perform their job function in a safe and healthy fashion. There are four units of content, each with two or three lesson plans consisting of the time allotment, terminal objectives, list of teaching materials (including transparencies), list of references, two to seven pages of content outline and script, and an examination with a key. The titles of the four instructional units and associated lesson plans are (1) Fire Safety (What Fire Is, Its Hazards, Sources, and Prevention; Recognition of Classes of Fire-Controlling Fire-Extinguishing Fire); (2) Material Handling (Manual Handling of Materials, Machine Handling of Materials, Handling of Hazardous Materials); (3) Safety Guarding (Personal Protective Equipment, Machine Guards); and (4) Housekeeping and Review (Housekeeping, Review and Evaluation). Sixty-five transparency masters, most of them containing drawings or illustrations, are appended. (EM)

Documents acquired by ERIC include many informal unpublished
 materials not available from other sources. ERIC makes every effort
 to obtain the best copy available. Nevertheless, items of marginal

* reproducibility are often encountered and this affects the quality

* of the microfiche and hardcopy reproductions ERIC makes available
 * via the ERIC Document Reproduction Service (EDRS). EDRS is not

* responsible for the quality of the original document. Reproductions *



SAFETY AND YOU ON THE JOB

Developed By:

The Department of Occupational, Adult, and Safety Education,
Marshall University
and the
Bureau of Vocational, Technical and Adult Education
Charleston, West Virginia

U.S. DEPARTMENT OF HEALTH
FOUGHTON & WELFARE
MATIONAL ASSITUTE OF
EDI-ASSITUTE OF
THE STATE OF T

Produced and Distributed by:

Vocational Curriculum Laboratory Cedar Lakes Conference Center Ripley, West Virginia 25271

- OII 721

INTRODUCTION

In order to qualify for employment at sub-minimum wages and not to be in conflict with specific government hazard regulations, students are required to have safety instruction by the school consistent with the Fair Labor Standards Act. The following unit of instruction can be used to provide that instructional requirement.

These instructional units will provide an instructor with the necessary information to present lessons. Accompanying the instruction are numerous transparencies. Objective tests may be kept on file to prove the safety instruction was presented and serve as a record of the student's performance.

Keep in mind that all students involved in any type of work experience or on-the-job training program must be prepared to perform their job function in a safe and healthy fashion consistent with the Fair Labor Standards Act.

John E. Cook, Supervisor Distributive Education, Cooperative Education and Work Study Programs



Table Of Contents

	BIOCK #1 rire Sarety
I.	Lesson Plan #1 - What Fire Is, Its Hazards, Sources, and Prevention 1
II.	Lesson Plan #2 - Recognition of Classes of Fire - Controlling Fire- Extinguishing Fire
	Block #2 Material Handling
III.	Lesson Plan #1 - Manual Handling of Materials 22
IV.	Lesson Plan #2 - Machine Handling of Materials 28
٧.	Lesson Plan #3 - Handling of Hazardous Materials
	Block #3 Safety Guarding
VI.	Lesson Plan #1 - Personal Protective Equipment
/II.	Lesson Plan #2 - Machine Guards 53
	Block #4 Housekeeping and Review
IX.	Lesson Plan #1 - Housekeeping60
х.	Lesson Plan #2 - Review and Evaluation
XI.	<u>Transparencies</u> 1-1



Block #1

Lesson Plan #1

Page #1

Title Transparency 1-1

Lesson Title: What Fire Is, Its Hazards, Sources, and Prevention.

Clock Hours: 90 minutes

Terminal Objectives: After participating in this presentation the students

will be able to demonstrate their knowledge of what fire is, its hazards, sources, and prevention by completing a 10-question multiple choice examination

on the subject with 100% accuracy.

Teaching Materials:

 This lesson plan
 Transparency pack 1-1 3. Overhead projector

4. Blackboard

References:

Strasser, Aaron, Bohn, Eales - Fundamentals of Safety

Education, Macmillan, NY 1965, pp. 332-360.

Accident Prevention Manual for Industrial Operations, National Safety Council, Chicago 1972, pp. 1009-111.

Occupational Safety and Health Standards, Federal Register, Washington D.C., 1910. 157 - 1910.162.



Block #1

Lesson Plan #1

Page #2

Lesson Outline

Lesson Script

A. What Fire Is:

Introduction:

1. What is a fire?

Teacher Note: Question several students, list their answer -have the class discuss the answers given and compile them into a class definition -- compare class definition with the script definition.

Transparency 1-2

2. What is fire made up of?

Teacher Note: Question students -- list answers-have class discuss and compile. Compare class answer with script answer.

Did you ever see a fire and wonder just what it is, what it is made up of, why it keeps burning, and why it goes out. If so, this is natural curiosity and part of the learning process. Also, this knowledge is essential to the understanding of fire protection, fire control, and fire extingui: ment. So, let's find out just what fire is by answering the four questions just mentioned.

Definition: A fire is defined as the rapid oxidation of matter in scientific terms.

Definition: A fire is defined as the light or heat and especially the flame of something burning in lay terms.

Fire is made up of three components which must be present in the proper proportions in order for it to exist:

- 1. Oxygen (air)
- 2. Fuel
- 3. Heat

Explanation: To explain proper proportions give the following examples:

- a. Paper laying in open_air on a desk at room temperature will not burn, but if you add the heat from a burning match it will, (proper proportion).
- b. Oil in open air at room temperature will not burn, but if you add oxygen you reduce the temperature at which it will burn, and it will burn at room temperature.



Block #1

Lesson Plan #1

Page #3

Lesson Outline

3. Why does fire keep burning?

<u>Teacher Note</u>: Use a technique as in 2.

- 4. Why does fire go out?

 <u>Teacher Note:</u> Use same techniques as in 2.
- B. The Hazards of Fire:

Introduction:

Transparency 1-3

I. Physical Hazards

- a. Damage to property
- b. Injury

Teacher Note: Give student the list from the lesson script and discuss injury or disease which might occur from either a or b.

Transparency 1-4 2. Health Hazards

Teacher Note; Give student the list from the lesson script and discuss injury or disease which might occur or develop from either a or b.

Lesson Script

The answer is derived from the answer to question 2. Fire will continue to burn so long as all three components are present in the proper proportions to sustain combustion.

The answer is derived from the answers to questions 2 & 3. Fire can no longer exist when one or more of its components is not of the proper proportion to sustain combustion.

Fire hazards can be defined as the dangers that exist in coming in contact with fire, or being in an environment which is created by a fire. These are two categories of fire hazards:

- 1. Physical hazards
- 2. Health hazards

Physical Hazards are further broken down into two types:

- a. Damage to property
- b. Injury
 - (1) pain
 - (2) blistering or charring of flesh
 - (3) possible disfigurement
 - (4) possible crippling
 - (5) blindness from heat or light of fire
 - (6) scorching of lungs and air passages
 - (7) asphyxiation

The Health Hazards are:

- A. Oxygen deficiency
- B. Toxic fumes, vapors, mists, gasses, which are created from increased heating of chemicals, liquids, and metals.



7

Block #1

Lesson Plan #1

Lesson Outline

Lesson Script

C. Sources of Fire and Preventative Measures

Introduction:

To eliminate unwanted fires it is important to know how and where fires start and how to prevent them. A 10 year study on the sources of unwanted fires and how to prevent them was recently conducted by the Factory Mutual Engineering Corporation. They listed sixteen sources that were responsible for 99% of fires. The other 1% was listed under unusual or unimportant sources. These are the sixteen sources and their preventative measures.

Transparency 1-5
1. Electrical (23%)

The leading cause of unwanted fires. Most start in electrical motors and wiring. Prevented by proper maintenance and use.

Transparency 1-6
2. Smoking (18%)

A potential cause of fire almost everywhere. Prevented by education and control. (NO smoking areas and designated smoking areas).

Transparency 1-7
3. Friction (10%)

Hot bearings, misaligned or broken machine parts, choking or jamming of material and poor adjustment of machinery all cause friction heat to be produced. Prevented by inspection, maintenance, and oiling or greasing.

fransparency 1-8
4. Overheated Materials (8%)

Teacher Note: Remark at this point that the first four sources of fires are responsible for 59% of fires, 1/4 of sources cause well over 1/2.

Caused by abnormal process temperatures such as those involving flammable liquids and materials in dry mt, etc. Brevented by temperature controls, and well-trained operators and supervisors.

Block #1	Lesson Plan #1 Page #5
Lesson Outline	Lesson Script
Transparency 1-9 5. Hot Surfaces (7%)	Normal heat from surfaces of boilers, furnaces, electric lamps, irons, ovens, etc., igniting flammable solids and liquids. Prevented by proper storage of flammable materials, and ample clearance between flammable materials and hot surfaces.
6. Burner Flames (7%)	Improper use of ovens, furnace boilers, torches, heating units, and etc. that have exposed flames. Prevented by ventilation, design, and by keeping combustible material away from the flames.
7. Combustion Sparks (5%)	Sparks and glowing embers released from incinerators, fire boxes, and industrial trucks. The incomplete burning of fuels. Prevented by well designed equipment and spark arrestors.
8. Spontaneous Ingnition (4%)	Fire in oily waste and rubbish, and in materials subject to heating. Prevented by good housekeeping. Remove waste daily and isolate storage subject to spontaneous heating.
9. Cutting and Welding (4%)	Sparks, arcs and hot metal from welding operation. Prevented by the use of the licensing of qualified welders and the Permit System.



Block #1

Lesson Plan #1

Page #**6**

Lesson Outline		Lesson Script
10.	Exposure (3%)	Fires communicating from adjacent properties. <u>Prevented by</u> space, walls, or water screens.
11.	Incendiarism (3%)	Also called arson. Fires set on purpose by owners, employees, intruders. Prevented by watch and guard service, and isolation.
12.	Mechanical Sparks (2%)	Sparks caused by ferrous materials being struck such as hammering operations and foreign material (metal) in machines. Prevented by keeping stock clean and removing foreign matter by magnet or other separating methods.
13.	Molten Substances (2%)	Caused by spills of molten metals, glass, etc. escaping from fractured furnaces or spilled during handling. Prevented by proper operation, handling, and isolation from each other, heat, electrical shock and jarring.
14.	Chemical Action (1%)	Chemical processes getting out of control. Reacting with each other or decomposing creating high heat and fire. Prevented by proper operation, handling, and isolation from each other, heat, electrical shock and jarring.
15.	Static Sparks (1%)	Ignition of flammable vapors, dusts, fibers, and gasses by the arcing of accumulated static electricity from machinery materials or the human body. Prevented by grounding, bonding, and the humidification of air.
16.	Lightning (1%)	Direct lightning strokes, arcing from one object to another, and high current being induced into electrical circuits. Prevented by anthing rods, grounding, arrestors, and surge decices.



Block #1

Lesson Plan #1

Page #1

Examination

This is a multiple choice examination. Place the letter designator for the most correct answer in the space provided to the left of the question.

1.	In scientific terms a fire is defined as: a. heat b. oxygen and fuel c. the rapid oxidation of matter d. the slow oxidation of matter
2.	The three components of a common fire are: a oxygen, fuel, heat b. oxygen, fuel, hydrogen c. liquid, solid, gas d. light, fuel, heat
3.	How long will a fire burn? a. Until the fuel is used up b. Until the fire department arrives c. Until you throw water on it d. So long as oxygen, fuel, and heat are present in the proper proportion.
4.	The two categories of fire hazards are: a. Oxygen deficiency and toxic fumes b. Toxic fumes and physical c. Physical and health d. Health and crippling
5.	Which of the following would not be considered a health hazard? a. Toxic fumes b. Gases c. Vapors d. Property damage
6.	These are the four most frequent causes of fire: a. Electrical, hot surfaces, welding, friction b. Smoking, lightning, spontaneous ignition, electrical c. Electrical, smoking, friction, overheated materials d. Burner flames, welding, lightning, exposure



Block #1

Lesson Plan #1

Page #2

7.	Which of the following would you as a worker have the most control over? a. Engineering b. Housekeeping c. Operating methods d. Type of material
8.	To prevent fire from excessive friction you as a worker would: a. ro-engineer b. change operating methods c. oil and grease properly d. change the type of material being processed
9.	Fire caused by smoking, a potential cause of fire everywhere can be stopped or reduced by: a. Well designed equipment b. control and education c. spark arrestors d. ventilation
10.	Most fires are caused by which source? a. Friction b. electrical c. hot surfaces d. smoking

Block #1

Lesson Plan #1

Page #1

2 mgs

Examination Key

- <u>C</u> 1.
- <u>A</u> 2.
- <u>D</u> 3.
- _C_-4.
- <u>D</u> 5.
- <u>C</u> 6.
- <u>B</u> 7.
- <u>C</u> 8.
- <u>B</u> 9.
- <u>B</u>10.



Block #1

Lesson Plan #2

Page #1

Lesson Title:

Recognition of Classes of Fire - Controlling Fire Extinguishing Fire - Steps to Take When You Dis-

cover A Fire

Transparency 1-10

Clock Hours:

90 minutes

Show Transparency #1

Terminal Objectives: At the conclusion of this lesson the students will be able to identify the four major classifications of fire, select the proper control method and extin-guishing agent(s) for each classification, and will show their ability to do so by actually demonstrating without error the steps to take when you discover a fire and by completing with 100% accuracy a 15 question multiple choice examination on the subject.

Teaching Materials:

This lesson plan

Overhead projector

3.

Transparency pack #1-2 (included)
Block #1 Lesson Plan #2 Examination (included) Block #1 Lesson Plan #2 Examination Key (included)

Student Learning Experiences (included)

(Note: To be correlated with lesson plan)

References:

Strasser, Aaron, Bohn, Eales - Fundamentals of Safety Education, Macmillan, N.Y. 1965, pp. 332-360

Accident Prevention Manual for Industrial Operations National Safety Council, Chicago 1972, pp. 1076-1111.

Federal Register, Occupational Safety and Health Standards, 1910. 157 -- 1910. 162.

Block #1

Lesson Plan #2

Page #2

Lesson Outline

Lesson Script

Introduction:

In our lesson covering what a fire is we learned that in order for a fire to exist there must be three components in the proper quantities present.

- Oxygen
- 2. Heat
- 3. Fue1

We are now ready to use this knowledge as a basis to help us in identifying classifications of fire, and selecting proper control methods and extinguishing agents.

A. Classifications of Fires:
Transparency 1-11
1. Class A (Ordinary
Solids)

Transparency 1-12 2. Class B (Liquids)

Transparency 1-13
3. Class C (Electrical)

Transparency 1-14
4. Class D. 'Metals, Reactive Chemicals) There are four general classifications of fires. (Class A, B, C, and D) Class A fires are those fires which occur in ordinary sollds such as wood, paper, cloth, rubbish, etc.

Class B fires are those fires which occur in the vapor-air mixture above the surface of flammable liquids such as gasoline, solvents, thinners, liquid fuels, and paint.

Class C fires are those that occur in or near electrical equipment.

Class D fires are those which occur in inorganic matter such as the combustible metals -- magnesium, titanium, sodium, lithium and zirconium -- and certain reactive chemicals.



Block #1

Lesson Plan #2 Page #3 Lesson Outline Lesson Script Transparency 1-15 Knowledge of what fire is, forms the basis for the study of fire control methods. Since B. Fire Control Methods we know that there must be three components present in the proper quantity for fire to exist, it should be evident that by removing or limiting any of the components we are able to control fire. There are four methods used to accomplish fire control. Cooling
 Removing Fuel 3. Removing Oxygen 4. Inhibiting the Reaction Transparency 1-16 Cooling:in order to extinguish a fire by

1. Cooling

cooling it is necessary to reduce the heat of the fire to some temperature below the flash point. The flash point is the lowest temperature at which a material gives off enough gasses to form an ignitable mixture with air and produce flame when a source of ignition is present.

Transparency 1-17 Removing Fuel

Removing the fuel from an existing fire is usually a dangerous process, although, it is used as a method of controlling fire. Forest fire fighters use it when they remove the fuel from an area around a fire -- called a fire break. This way the fire is extinguished when the available fuel is used up. Shut off valves in gas or liquid lines accomplish the same purpose.

Transparency 1-18 Removing Oxygen

Once again we call upon our knowledge of the chemistry of fire for our third method of fire control. Limit or shut-off the oxygen supply. This is usually accomplished by blanketing the area above the fire with nonflammable material which will prevent the flammable gasses and oxygen from uniting in a flammable mixture.

Up to this point we have discussed fire and fire control from the standpoint of the basic fire triangle:



16

Block #1

Lesson Plan #2

Page #4

Lesson Outline

Lesson Script

4. Inhibiting the Reaction
Show Transparency 1-19

Up to this point we have discussed fire and fire control from the standpoint of the basic fire triangle:

Oxygen + Heat + Fuel = Fire
The above formula is often referred to as
the fire triangle.

In the past since it was recognized that there were only three components of a fire, it was assumed that there were only three methods that would control the fire:

Removal of heat (cooling)

2. Removal of oxygen

3. Removal of fuel

Recent studies however, have shown that the chemical reaction which takes place in a fire is more complex than the basic formula In fact several reactions take place during the course of a fire which produce combustible gasses. Experimentation has shown that it is possible to introduce certain substances into an existing fire which will more readily unite with gasses than oxygen does, and that the resultant substance is nonflammable. This process serves the same purpose as removing the fuel supply, oxygen supply, or reducing the heat (cooling

There are numerous agents used for the purpo of extinguishing fires and there are two primary systems. The two primary systems are fixed and portable. Since fixed systems are installed and usually work automatically or are actuated by trained personnel we will concentrate our studies in the area of portable fire extinguishing agents. In the cour of your work you are likely to discover a fire and you will have to use your knowledge of the chemistry of fire to extinguish it. This will require the selection of the prope fire extinguishing agent for the type of fire

Show Transparency 1-20

C. Extinguishing Agents:

(Teacher note: Around most schools you will find several fire extinguishers. A display of these to be referred to during the lesson would add interest).



Block #1

Lesson Plan #2

Page #5

Ť	
Lesson Outline	Lesson Script
1. Pump Type	This is a tank of water which has a pump handle at the top. It is used to extinguish class A fires only.
2. Soda Acid	When this tank is turned upside down a solution of baking soda and water mixes with acid and creates a foam-like substance which cools and smothers fires. It should only be used on class A fires.
3. Dry Chemical	Used on class A, B, and C fires is highly effective and non-conducting (inhibits reaction).
4. Carbon Dioxide (CO2)	Primarily for use on class B and C fires, but may be used on small class A fires. Replaces oxygen in the area of the fire and cools below ignition point.
5. Foam	Used on class B fires expels thick foam. Operates on inversion like the soda acid type. Spreads over the surface of burning liquids and inhibits oxygen.
 Steps to take when you discover a fire. 	
Introduction	Although those who understand fire hazards conscientiously attempt to eliminate or compensate for them can minimize the possibility of fire, they cannot eliminate it. They cannot prevent fires caused by lightning, arson, and the carelessness of others, and once in a while a useful fire gets out of control despite all precautions. A fire safety program, therefore, must cover not only preventative measures but must include steps to take when you discover a fire.
Step #1 Sound the Alarm	Each year, many fires discovered in their early stages become uncontrollable because of the failure of the individual who discovered it to turn in a prompt alarm; usually because he attempted to extinguish it by himself and it got out of control.



Block #1

Lesson Plan #2

Page #6

Lesson Outline Lesson Script Step #2 Check the extent of the This can be vitally important, for fire fire to see if you are fighting efforts during the first five capable of extinguishing minutes of a fire are worth more than the work of the next five hours. Step #3 Selecting the proper Decide from your knowledge of fire the class extinguisher of fire you will be fighting, then choose the proper extinguishing agent. Remember the wrong type of extinguishing agent on a fire could spread it or injure you. Step #4 Attempt to extinguish fire Before starting, plan your escape route in case the fire should spread--always have an out. Each type of fire extinguisher has a specific method of putting it into operation and a specific method of use. These are the operating instructions and methods of use for the types of extinguishers covered in this lesson plan. A. Operation and Use of Pump-Operation - place foot on foot bracket and type extinguisher operate pump with 6 to 8 inch strokes. Use - direct the stream of water at the base of the fire and then follow the flames up while moving stream from side to side or around fire. B. Operation and use of Soda Operation - Invert extinguisher, hold by Acid extinguisher bottom handle

<u>Use</u> - Direct stream at base of fire - follow up after flames while moving from side to side or around if possible.

Operation - Remove nozzle from holster and press puncturing lever (if locking pin is present ring must be pulled out).

<u>Use</u> - Direct spray into the flame itself with a fanning motion - allow spray to fall into the fire.

C. Operation and use of Dry

Chemical extinguisher

Block #1	Lesson Plan #2 Page #7
Lesson Outline	' Lesson Script
D. Operation and use of Carbon Dioxide Extintinguisher	Operation - Hold in upright position pull locking ring pin - squeeze the discharge lever. Use - Direct the spray at base of flame-use fanning motion - start at near edge and work to rear.
F Operation and use of Foam Type Extinguisher	Operation - Invert the cylinder hold by bottom handle Use - For liquid (Class B) fires direct the stream in an arc and let it fall against the back of the container or into the fire. For class A fires aim at base of fire working from side to side.
Student learning experiences	The following learning experiences should accompany the lesson plan and be synchronized with it. The accomplishment of each of the experiences should be arranged by individual students or groups of students. This will give the students the opportunity to apply and extend their knowledge of fire prevention and extinguishment, and will give the teacher a basis upon which to estimate the extent of their learning.
1. Demonstration of Spontaneous Combustion	With the assistance of the chemistry or general science teacher arrange a demonstration of spontaneous combustion and report to the class steps that you would use to prevent it at home, at work, or at school.
2. Collection and Evaluation of Fire Date	Collect newspaper, rad o, and television data on fires for a one week period. List the causes and consequences of the fires. List the steps that might have been effective in preventing them. Make report to class.
3. Demonstration of Effect of Electrical Overloading	With the aid of the general science teacher or electrical shop teacher arrange for a demonstration of the effect of overloading an electrical circuit. Report to class on methods to use in preventing overloading.



B]	ock	#1
----	-----	----

Lesson Plan #2

Page #8

	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Lesson Outline	Lesson Script
4. Lecture on Fire Prevention	Arrange with the local fire department for a representative to talk before an assembly or the class on Fire Prevention
5. Checklist Development	Develop a checklist which can be used to prevent fires at home, at work, at school. List existing hazards, what can be done to remove them or to prevent them from causing fires.



Block #1

Lesson Plan #2

Page #1

the	four	possible and place the letter designator for that answer in provided at the left of the question.
~	_ 1.	How may general classifications of fire are there: a. one b. two c. three d. four
	2.	The classification of an electrical fire is: a. Class A b. Class B c. Class C d. Class D
	_ 3.	The classification of fire in paper, wood or cloth is: a. Class A b. Class B c. Class C d. Class D
	_ 4.	Flammable liquid fires are: a. Class A b. Class B c. Class C d. Class D
	_5.	Which of the following fire control methods is the most dangerous a. Cooling b. Removing fuel c. Removing or replacing oxygen d. Inhibiting the reaction
	6.	A stream of water would not be used to extinguish a fire in: a. rags b. wood c. trash d. oil



Block #1

Lesson Plan #2

Page #2

	a. b. c.	bon Dioxide is not very effective against: electrical fires Small trash fires large trash fires flammable liquid fires
8	a. b. c.	errupting the chemical reaction of a fire is accomplished by: cooling removing the fuel removing the oxygen introducing another ingredient
9.	a. b. c.	newest method of controlling fire is called: cooling removing fuel removing oxygen Inhibiting the reaction
10.	Clas a. b. c.	type of extinguishing agent which is highly effective against ss A, B, and C fires is: water carbon dioxide soda acid dry chemical
11.	a. b. c.	time when a fire can best be controlled is: during the first five minutes during the first five hours while the fire department is present before the alarm is given.
12.	unce a. b.	n year, many fires discovered in their early stages become ontrollable because of: Failure to remove flammables Failure to give alarm Failure to attempt to extinguish it Failure to notify supervisors



Block #1

Lesson Plan #2

Page #3

- ____ 13. The last of the four major steps to take when you discover a fire is to:
 - a. Check the extent of the fire
 - b. sound the alarm
 - c. attempt to extinguish it
 - d. select the proper extinguishing agent
- ____14. The two types of extinguishers discussed which must be inverted to operate are:
 - a. soda acid and foam
 - b. foam and dry chemical
 - c. dry chemical and carbon dioxide
 - d. pump type (water) and soda acid
- ____ 15. The type of extinguishing agent which must be sprayed into the flame itself and allowed to fall into the fire is:
 - a. Soda Acid
 - b. Foam
 - c. Dry Chemical
 - d. Carbon Dioxide

Block #1

Lesson Plan #2 Page #1

Examination Key

<u>d</u> 1.

<u>a</u> 3.

b 4.

b 5.

<u>d</u> 6.

c 7.

<u>d</u> 8.

<u>d</u> 9.

<u>d</u> 10.

<u>a</u> 11.

<u>b</u> 12.

<u>a</u> 14.

<u>c</u> 15.

Block #2

Lesson Plan #1

Page #1

Lesson Title: Manual Handling of Material Title Transparency 2-1

Clock Hours: 60 minutes

Show Transparency #1

Terminal Objectives: After participating in this lesson the students

will demonstrate their knowledge of the manual handling of materials completing with 100% accuracy a ten question multiple choice examination on the lesson

matter.

Teaching Materials: 1. This lesson plan

2. Overhead Projector

3. B1ackboard

Transparency Pack #2-1 Plan #1.

5. Examination

Examination Key

References:

Suggested Lesson Plans in Safety Education, National Association of Distributive Education Teachers, 1962-1963 Project.

Strasser, Aaron, Bohn, Eales, Fundamentals of Safety Education, Macmillan, N.Y. 1964, pp. 272-286.



Block #2

Lesson Plan #1

Page #2

Lesson Outline

:

Lesson Script

A Manual Handling of Materials Introduction?

Teacher Note: Prepare three boxes of different weights and same size - Have student demonstrate proper methods of lifting. Each student should participate.

1. Muscular strain and physical over exertion.

Show transparency #2-2 Injuries

2. The Pinching or smashing of toes and fingers.

Show transparency #2-3

3. Horseplay

Show transparency #2-4

The three most common causes of accidents to young people in industry are:

- Muscular strain and physical over-exertion
- Pinching or smashing of toes and fingers.
- 3. Horseplay

Muscular strain and physical over exertion are caused by improper lifting and handling procedures.

Improper lifting procedures can cause serious and painful injuries such as:

- Slipped spinal disc--painful and crippling.
- 2. Pulled and strained muscles and leaders.
- 3. Hernia
- 4. Ruptures
- 5. etc.

The pinching or smashing of toes and fingers is not only painful and sometimes crippling, but usually results in the temporary inability to luce. Employers do not continue to employ habitually careless people or those who can not produce to make a profit.

Fraying games, pushing, shoving others, throwing or pulling practical jokes on others is the one greatest cause of accidents among yourg people in business and industry. It no anly can but does result in injury to personnel and damage to equipment.

Most accidents can be prevented by using proper handling methods.

These methods are:

- 1. Proper lifting method
- Proper method for moving material at arm level
- Proper method for moving material at higher than head level.
- 4. Proper method for using simple hand tools.



27

Block #2

Lesson Plan #1

Page #3

	Lesson Outline	Lesson Script
1.	Proper Lifting Method Show transparency #2-5	 a. Always test the weight of item to be lifted. If too heavy get help or use a lifting device. b. Be sure you have good footing. c. Squat with knees straight in front and slightly apart, back straight, and arms extended. Lift with legs.
2.	Proper method for moving material at arm level. Show transparency #2-6	 a. Test weight of material. b. Lift side of material toward you. c. Slide to edge of support. d. Hug load to you keeping back straight. Let your legs support the weight.
3.	Proper method for moving material at higher than head level. Show transparency #2-7 Show transparency #2-8	 a. Always use assistance of another person regardless of weight involved. b. Use special handling equipment for heavy material. c. Use ladders with care. (1) never carry up and down ladders. (2) hand boxes to person on floor.
4.	Proper method for using simple hand tools. Show transparency #2-9 Show transparency #2-10	 a. Opening paper cartons. (1) Use proper tool for cutting. Never use double edge razor. (2) Cut with slow firm stroke keeping other hand clear. b. Opening wooden boxes and crates. (1) Use proper tools for prying. Pry bars, crow bars, etc. are designed for this purpose. Do not use screwdrivers or tools designed for other purposes. (2) Cut wire with wire cutters. (3) Remove nails with claw hammer or mechanical nail puller. (4) Use extreme care in handling boxes and boxing material as injury may be caused by splinters, loose wires, nails, or other projecting objects.

Block #2

Lesson Plan #1

Page #1

Examination

This is a multiple choice examination. Place the letter designator for the most correct answers in the blank provided at the left of the question.

the	ques	ion.
	_ 1.	Of the following, which is not one of the three most common causes of accidents to young people in industry? a. Muscular strain and physical exertion b. Pinching or smashing of toes and fingers. c. Operation of material handling equipment d. Horseplay
	_ 2.	Lifting should be done with: a. The legs b. The arms c The back d. The neck
	_ 3.	If the load is too heavy to lift you should: a. Rock backwards b. Jerk upwards quickly c. Lift one side before the other d. Get help or use a lifting device
<u> </u>	_ 4.	In handling material you should never: a. use assistance of another person b. use lifting devices c. carry up or down a ladder d. test weight
,	5.	When lifting from above ground level the weight should be directed: a. Toward you b. away from you c. up d. down
the second contracts	6.	he proper tool for removing the nailed down lid of a wooden ox is: . Pliers . Screwdrivers . Hammer . Pry bar



Block #2

Lesson Plan #1

. Page #2

7.	The following tool is never to be used opening cardboard containers. a. Razor Knife b. Hawkbill Knife c. Box Cutter d. Double edge razor blade
8.	When handling material at over the head height you should always: a. Lift with your back b. Use a ladder c. Use assistance of another person d. Test the weight to see if you can handle it by yourself.
9.	The one action which covers the most injuries to young people in industry is: a. Improper lifting procedures b. Improper use of hand tools c. Improper handling methods d. Horseplay
10.	Before squatting to lift you should first: a. Use special handling equipment b. Let your legs support the weight c. Be sure you have good footing d. Use proper hand tools

Block #2

Lesson Plan #1

Page #1

Examination Key

- <u>c</u> 1.
- <u>a</u> 2.
- <u>d</u> 3.
- <u>c</u> 4.
- <u>b</u> 5.
- <u>d</u> 6.
- <u>d</u> 7.
- <u>c</u> 8.
- <u>d</u> 9.
- <u>c</u> 10.

Block #2

Lesson Plan #2

Page #1

Lesson Title: Machine handling of materials. Title transparency 2-11

Clock Hours: 90 minutes

Terminal Objectives: At the conclusion of this lesson the students

will know how to safely use hand material handling equipment, and know the general rules for using all types of powered material handling equipment. They will demonstrate their knowledge by completing

examination on the subject.

Teaching Materials:

1. This lesson plan

Overhead projector 2.

3. Transparency pack #2-2

Block #2 Lesson Plan #2 Examination Block #2 Lesson Plan #2 Examination Key

Collection of hand material handling equipment

Blake, Roland P. <u>Industrial Safety</u>, Prentiss-Hall, N.J. 1963, References:

pp. 151-161.

Occupational Safety and Health Standards. Federal Register,

D.C., 1910. 178 through 1910.181.

Eninger, M.U. <u>Accident Fundamentals</u>. Armco Steel Corporation 1963, Chapter 12, pp. 17-21



31ock #2

Lesson Plan #2

Page #2

Lesson Outline	Lesson Script		
Machine Handling of Material			
Definition:	Has one or more moving parts and any device which is used to make the handling of material easier and safer for the worker is classed as a machine.		
• 7	The machine or equipment which is used in material handling is broken down into two categories:		
l. Hand Equipment	Transparency 2-12 1. Hand equipment 2. Powered Equipment		
Teacher note: A display of the types of hand equipment discussed in this lesson plan should be made during this presentation. Most if not all are available in most schools or school systems. Check with maintenance	Any material handling equipment that replaces direct hand lifting and carrying is a step in the direction of safety. Such equipment, however, is not without its own characteristic hazards. These must be made a matter of knowledge to the user and must be understood by them. The five most commonly used pieces of hand equipment are:		
personnel and shop teachers. At conclusion of lesson have suudents inspect and operate each piece of equipment.	a. wheelbarrowsb. two wheel handtrucksc. four wheel handtrucksd. dolliese. jacks.		



29

B10	ock #2	Lesson Plan #2 Page #3	
·	Lesson Outline	Lesson Script	
a.	Rules for safe operation of wheelbarrows.	Transparency 2-13 (1) If more than one type is available, select the one best suited for the work to be done. (2) Check its condition for safe operation (a) handles not cracked (b) bolts secure (c) tires inflated properly (d) handguards in place (3) Place weight of load over wheel (4) Use two steps for starting to move (a) lift slowly to balance point (b) accelerate slowly (5) Walk do not run (6) Check path for obstacles (7) Drop it if it gets out of control (better a spilled load than a sprained back)	
ь.	Rules for safe operation of two wheel hand trucks.	Transparency 2-14 (1) There are many special purpose types. Some, for example, designed for kegs, drums, and barrels. Select the correct type for the material to be-hauled. (2) Check for defects (3) Keep center of gravity low as possible (place heavy items on bottom) (4) Don't overload (5) Balance load laterally (6) Secure the load (7) Push - except uphill (8) Walk, don't run	
c.	Rules for safe operation of four wheel handtrucks.	Transparency 2-15 (1) Check for defects (2) Block wheels when loading (3) Balance the load (4) Keep load below eye level or use another worker as a safety guide (5) Push-unless pull handle is provided (6) When parked insure that pull handle is locked in up position	



Block #2

Lesson Plan #2

Page #4

Lesson Outline Lesson Script Transparency 2-16 A dollie is a small platform on low coaster d. Rules for safe operation of dollies. wheels which will turn 3600 in one spot. It is used mostly for carrying heavy single objects for short distances over a level path. and for moving objects that are too heavy to lift to the bed of a truck. (1) check for defects (2) move and guide by pushing (3) if item is bulky and heavy use second man for better control Transparency 2-17 e. Rules for safe operation (1) Select a jack that has a capacity as of jacks great or greater than the load (2) Check for defects (3) Set on level base (level by blocking underneath) (4) Use wooden shim between jack head and load (3) Never jack at an angle (6) Operate jacking handle from the side (7) Operate slowly checking to see that load is secure (8) Block load when lifted, don't depend on jack to hold load up (9) Never work under an unblocked load It is beyond the scope of this lesson plan 2. Powered Equipment to cover all of the different types of powered material handling equipment and the thousands Teacher Note: A visit to a construction site, material most powered equipment will fall under the storage facility should be following categories and there are some general rules which apply to all. made. Students should observe safe operation of equipment and if possible inspect safe maintenance. Cranes



31

General Categories of

Equipment

Powered Material Handling

2. Hoists

3. Conveyors

Tractors
 Elevators

Lifts

4. Power Trucks

7. Railroad Engines

Block #2

Lesson Plan #2

Page #5

BIOCK #2	cesson right #2	rage #3	
Lesson Outline	Lesson Script		
 General rules for the safe operation of powered material hand- ling equipment. 	The following rules for the safe operation and use of powered material handling equipment would have equal importance for the use of all machinery. If these rules are followed, accidents and injuries caused by the operation and use of machinery can be reduced or eliminated.		
	around inspection (a) check oil an (b) check all from signs of were (c) check all to cables, etc bends (d) check all property order before using the sure equipment order before using the sure equipment before equipment before (6) Never operate equand thoroughly in the sure or misuse or	nd grease riction points for ar ension devises (ropes, .) for fraying, kinks, or ressure points for cracks ent is in proper working ng. n, excessively worn, or ting equipment. ions of the equipment. gn matter from the operating. uipment unless authorized nstructed in its use. nishandle equipment. unauthorized person to	
	i set		



Block #2

Lesson Plan #2

Page #1

Examination

This is	a multiple	choice exam	mination.	Place t	the letter	designator	for	the
correct	answer in t	he left o f	the questi	on numb	er.			0110

- The two categories of material handling equipment are: a. Hand equipment and dollies b. Trucks and powered equipment c. Trucks and dollies d. Hand equipment and powered equipment 2. The following are examples of hand material handling equipment. Dollies, jacks, wheelbarrows b. Hand Trucks, fork lifts, elevators c. Wheelbarrows, fork lifts, hoists d. Hoists, cranes, tractors ____ 3. Two wheel or four wheel hand trucks should always be pushed except when: a. going uphill b. going downhill c. having load above eye level d. empty The piece of equipment used to transport heavy material on a level surface and that will turn 3600 in one spot is a: a. Tractor b. Hand truck c. Dollie d. Wheelbarrow When using a two wheel hand truck, the center of gravity should be: 1_{ow} a. b. high

 - c. in the center
 - d. its unimportant



33

Block #2

Lesson Plan #2

Page #2

		Examination
Parket halley years	_6.	If more extension is needed for a jack you should:
		a. Buy a longer extensionb. Place a shim between the jack head and loadc. Place blocks under the jackd. Add more hydraulic fluid
	7.	A jack should never be:
		 a. Placed in a vertical position b. Placed at an angle c. Placed in a horizontal position d. Placed on wooden support blocks
A TANK BUT BERRY	8.	When operating a jack handle you should always stand:
		a. Above the jackb. Straddle of the handlec. To the side of the handled. Below the jack head
-	9.	Due to the fact that its casters move in all directions, this piece of equipment should never be pulled by a rope:

- ₃. Dollie
- u. Hand truck c. Four wheel cart
- d. Crane



34

Block #2

Lesson Plan #2

Page #1

Examination Key

<u>d</u> 1.

<u>a</u> 2.

<u>b</u> 3.

c 4.

<u>a</u> 5.

<u>c</u> 6.

<u>b</u> 7.

<u>**c**</u> 8.

<u>a</u> 9.



Block #2

Lesson Plan #3

Page #1

Lesson Title: Handling of Hazardous Materials

Title Transparency 2-18

Clock Hours:

60 minutes

Show Transparency #1

Terminal Objectives:

At the conclusion of this lesson plan the students will know the major types of hazardous materials, the methods of identifying hazardous materials, and the effects of exposure to hazardous materials; and will demonstrate their knowledge by completing with 100% accuracy a ten question multime whice

examination on the subject.

Teaching Materials: 1. This lesson plan

2. Overhead projector

3. Transparency Pack #2-3

4. Examination

5. Examination Key

References:

Occupational Safety and Health Administration Instructor Manual OSHA-2073, A Guide to Voluntary Compliance. pp. 6-1 to 7-1 and 13-1 to 14-1.

Blake, Roland P. <u>Industrial Safety</u>, Prentise Hall N.J. 1963 pp. 298-320.

Federal Register, Occupational Safety and Health Standards, 29CFR 1910 sub parts G,J,K.



Block #2

Lesson Plan #3

Page #2

Lesson Outline	Lesson Script
Definition of Hazardous Materials	Any substance that might in any way cause injury to or impare the health of an employee.
Types of Hazardous Materials	 Air contaminating materials. a. Dust b. Fumes c. Mists d. Vapor Flammable Materials Radio Active Materials Explosive Materials
Handling of Hazardous Materials	 Before handling materials read markings or labels to learn contents. All hazardous materials require special handling. Check with your supervisor
Show Transparency #2-19	for advice and directions. 3. All materials that present a radiation hazard should be marked with the standard
Show Transparency #^ 20	 radiation warning sign. 4. Hazardous materials are normally labeled or tagged. These labels or tags are color coded. 1. Red is for flammable material or extremely dangerous situations. 2. Orange is for dangerous areas or energized equipment. 3. Yellow is for caution and marks physical hazards. 4. Green designates safety and first aid equipment. 5. Blue designates caution limited to warning against equipment being repaired. 6. Purple designates radiation hazard.

Block #2

Lesson Plan #3

Page #3

Lesson Outline

Lesson Script

Show Transparency #2-21

Effects of exposure to hazardous materials. (coal, dust, silica, & etc.)

(Toxic materials entering mouth and nose)

(Contact of skin with organic dusts)

(Anthrax from furs or skin)

(Caused by breathing mists or fumes of acids or alkalies)

(Chief cause asbestos dust)

1. Air contaminates

- Pneumoconiosis coats the lungs and interferes with breathing may result in cancer.
- b. Poisoning
- Skin irritations and allergic reactions.
- d. Bacterial and fungi infections.
- e. Nose and throat irritations.
- f. Cancer



Block #2

Lesson Plan #3

Page #1

Examination

This is a multiple choice examination. Place the letter designator for the correct answer in the space at the left of the question.

	1.	a. b.	ts, fumes, mists, vapors are examples of: Flammable materials Air contaminating materials Water pollutants Radio active materials
- Tanking and State of State o	2.	a. b.	y substance that might in any way cause injury to or are the health of an employee," is the definition of: Air contaminants Hazardous materials Radio active materials Biological hazards
	3.	Whie a. b. c. d.	ch of the following is a correct statement? Only certain hazardous materials require special handling. Hazardous materials are handled the same as other materials. Radioactive materials are only dangerous if contacted. All hazardous materials require special handling.
	4.	a. b.	color designator for radiation is: purple red green blue
	5.	a. b. c.	urple sign with a yellow background designates: explosive hazard air contaminates radiation hazard water hazard
	6.	equi a. b. c.	color which designates extreme danger or fire pment is: purple red green blue



Block #2 Lesson Plan #3 Page #2 Examination The color which denotes caution and marks physical hazards a. purple red Ь. orange yellow Pneumoconiosis interferes with breathing, coats the lungs, and is caused by: organic dusts coal dust & silica poisoning asbestos dust Contact of skin with organic dusts causes: bacterial and fungi infection b. cancer c. poisoning skin irritation Nose and throat blistering is normally caused by breathing: a. coal dust and silica

b.

c.

organic dusts

inorganic dusts

mists from acids and alkalies.



Block #2

Lesson Plan #3

Page #1

Examination Key

- <u>b</u> 1.
- <u>b</u> 2.
- <u>d</u> 3
- <u>a</u> 4.
- <u>c</u> 5.
- <u>b</u> 6
- <u>d</u> 7.
- ь 8
- <u>d</u> 9.
- <u>c</u>10.



Block #3

Lesson Plan #1

Page #1

Lesson Title: Personal Protective Equipment <u>Title Transparency 3-1</u>

Clock Hours: 150 minutes

Show Transparency #1

Terminal Objectives: At the conclusion of this lesson the student will

have a working knowledge of personal protective equipment types, and their use; and will demonstrate this knowledge by completing with 100% accuracy a 10 question multiple choice examination on the subject.

Teaching Materials:

1 This lesson plan

2. Overhead projector

3. Transparency Pack #3-1

4. Blackboard

5. Examples of Equipment

References:

Accident Prevention Manual for Industrial Operation, National Safety Council, Chicago 1972, pp. 1142-1204.

A Guide To Voluntary Compliance, U.S. Dept. of Labor, Instructors Manual OSHA-2073, pp. 5-1 to 5-16.

Blake, Roland P. <u>Industrial Safety</u>, Prentiss-Hall, N.J. 1963, pp. 320-349



Block #3

Lesson Plan #1

Page #2

Lesson Outline

Lesson Script

Personal Protective Equipment

Teachers note: If possible, gather examples of each type of personal protective equipment covered in this lesson plan. Have students practice using them and adjusting them.

It falls directly upon the employer to furnish a safe work place for employees. While the above statement is true it does not follow that work will be accomplished in a safe manner. The safe accomplishment of w falls directly upon the employee and his adher hence to sound safety practices. Probably one of the most important practices that an employee can develop is that of selecting and using proper personal protective equipment.

Although the Williams-Sleiger Occupational Safety and Health Act of 1970 requires employer to provide a safe work place for employees, it does not require them to furnish all items of personal protective equipment. In fact some businesses will require that you furnish some or all of your personal portective equipment.

Whether your personal protective equipment is employer furnished or self furnished it is extremely important that it be of sufficient quality to accomplish its design functions.

Knowledge of the types of personal protective equipment available and the use for which they are designed will assist you in making good purchases or in determining the adequacy of furnished equipment.



Block #3

Lesson Plan #1

Page #3

Lesson Outline	Lesson Script
Types of Personal Protective Equipment	There are basically 7 types of personal protective equipment: 1. Head protectors 2. Ear protectors 3. Face and Eye protectors 4. Respiratory System Protectors 5. Hand, foot, and leg protectors 6. Protective clothing 7. Safety belts
1. Head Protectors Show Transparency #3-2 Types	In general there are two names for head protectors, safety hats and safety helmets. For simplicity we will refer to them only as safety hats. Safety hats are of two general types 1. brimless 2. full brimmed Each type is further broken down into four classes.
Classes	 Class A general service - for protection against impact, and voltages up to 600 volts. Class B Utility Service, for protection against impact and high voltage (up to 30,000 volts and 9 mil. amps). Class C Special Service- light impact and no protection against electricity. Sometimes referred to as a bump helmet. Class D Limited protectors- usually used by firefighters.
Safety caps Show Transparency #3-3	In addition to safety hats, hair protective devices are sometimes required to be worn by those people who have long hair. Caps have been specially designed for this purpose.



Block #3

Lesson Plan #1

Page #4

Lesson Outline	Lesson Script
Inspection	Safety hats should be inspected before each use for cracks, dents, and signs of wear which might reduce the degree of protection. Special attention should be given to the suspension because of the important part it plays in the absorption of shock.
2. Ear Protection	Increasing attention is being given to the problem of excessive noise in industry. It can cause loss of hearing and intense pain.
Types	Other than engineering or mechanical methods of reducing noise level, there are currently only two basic types of ear (hearing) protective equipment: 1. Insert Types (Ear Plugs) 2. Ear Muffs
Insert Types Show Transparency #3-4	The insert types, placed into the ear canal, offers ample protection against most noise when properly fitted and constructed of the proper material.
Muff (Cup) Type Show Transparency #3-5	Additional protection may be attained by the use of muffs.
	Note: In addition to the two basic types of ear protectors a protective helmet has been developed that shields the entire bony structure of the head from sound vibrations of very high intensity. (Bones conduct these vibrations to the inner ear).



Block #3	Lesson Plan #1 Page #5
Lesson Outline	Lesson Script
3. Face and Eye Protection	In general there are four types of face and eye protection:
	1. Goggles2. Spectacles3. Shields4. Hoods
Eye Protection	Spectacles may be worn for limited hazards involving only frontal protection. Even with side shields they provide only minimal side protection. Their lightness and neat appearance make them more acceptable where they afford adequate protection.
Goggles	Transparency 3-6 Goggles afford better protection than spectacles since they are designed to protect the eye from flying particles from all directions (above, below, side, and frontal).
Eye and Face Protection	Transparency 3-7 Shields and Hoods protect both the face and the eyes from flying particles and should always be used when injury to the face is possible.
Additional Advantage of Face and Eye Protection	Special colored glass or plastic may be used in all types of face and eye protection to filter out light rays or radiation which might be injurous to the eye. Special shields and helmets have been fabricated to protect the face and eyes from damage due to heat, or chemical exposure.
Respiratory System Protectors	There are literally hundreds of respiratory protective devices, and there is not time in this course to cover all devices so no attempt will be made to do so.



Block #3

Lesson Plan #1

Page #6

Lesson Outline	Lesson Script		
Two Types	In general, respiratory protective devices are designed either to purify the air being inhaled by removing the contaminates or to supply the user with clean air from an outside source.		
Air purifying devices Show Transparency #3-8	The equipment that purifies the air is designated as air purifying. Examples: 1. Those that make use of mechanical filters for removing particulate matter such as dusts, fumes, and mists from the air. 2. Those that make use of chemical sorbents for removing gases and vapors from the air.		
Air supplying devices Show Transparency #3-9 Remote Type	The equipment that supplies fresh air from an outside source is designated as air supplying. Example: 1. Types in which fresh air is brought to the user from a distant point through a hose or pipe.		
Self Contained	 Types in which compressed air or oxygen is supplied from a tank carried by the user. 		
Selection of Respiratory System Protectors	The following factors should be considered in choosing a respirator. 1. Nature of hazard 2. Severity of hazard 3. Type of contaminant 4. Concentration of contaminant 5. Period of time protection required 6. Distance from pure air source 7. Expected activity of user 8. Characteristic and limitations of the choice of respirators.		



Block #3	Lesson Plan #1 Page #7
Lesson Outline	Lesson Script
5. Hand, Foot and Leg Protectors	
Show Transparency #3-10	Although there are many ointments and creams on the market which are reputed to furnish protection to the hands they have not proven to be effective in most cases. Gloves are the best personal protective device for the hands. They are manufactured to supply protection from many hazards such as heat, chemicals, sharp objects, acids, caustics, oils, solvents and friction. The choice of gloves depends upon the hazard and its intensity.
Feet and Legs	intens (by .
Show Transparency #3-11	
Feet	The great majority of foot injuries is caused by dropping objects upon them. Steel toed safety shoes will protect against most foot injuries from this cause. The accepted standard for strength is that the toe box must withstand the impact of 50 lbs. dropped from 1 foot. For impacts greater than this special guards are required.
Legs	Protection for the legs depends upon the hazard to be guarded against. The device most commonly used is leggings ranging from waist length to those that reach only part way to the knee.
Protective Clothing	Industrial operations present such hazards
Show Transparency #3-12	as burns, abrasions, or skin irritation from chemicals or detergents. Protection from these hazards sometimes necessitates the wearing of protective clothing such as asbestos suits, rubber aprons, special coveralls. In selecting such clothing two rules must be followed.



6.

Block #3	Lesson Plan #1 Page #8		
Lesson Outline	Lesson Script		
7. Safety Belts Show Transparency #3-13	 The garment must give adequate protection from the hazard involved. The garment must not interfere with the wearer's movements. The wearing of safety belts when working high above ground level is mandatory. The selection of a safety belt should be based on the following criteria: Does it have sufficient strength to stop the wearer after a maximum free fall. Will it absorb the shock without undue injury to the wearer. Is the stopping distance short enough to prevent the wearer from striking some dangerous obstruction. 		



Block #3

Lesson Plan #1

Page #1

Examination

This is a multiple choice examination. Place the letter designator for the most correct answer or phrase in the space provided to the left of the question.

	1.	a. b.	number of basic types of personal protective equipment is: 7 4 3 6
	2.	to : a. b. c.	class of safety hat which furnishes protection against up 30,000 volts of electricity is: class A class B class C class D
	3,	ligha. b. c.	class of safety hat which furnishes protection against impact only is: class A class B class C class D
***********	4.	a. b. c.	insert type of ear protector must be: made of wax made of cotton fitted ventilated
	5.	a. b. c.	best face and eye protector to use when welding is: goggles hood spectacles shield (hand type)
		a. b.	two general types of respiratory protective devices are: face mask and air purifying air purifying and air supplying hose type and remote self contained and air supplying



Block #3

Lesson Plan #1

Page #2

Examination

7.	The best protective device for hand is: a. gloves b. ointments c. creams d. none
8.	The accepted standard for strength of steel toed safety shoes is that they withstand the impact of: a. 100 lbs. dropped from 2 feet b. 100 lbs. dropped from 1 foot c. a thousand pound weight d. 50 lbs. dropped from 1 foot
9.	The device which is designed to protect the eye from flying particles from all directions is: a. spectacles b. hand shield
	c. goggles d. face mask
10.	Safety belts are to be worn at all times when: a. there is danger of a fall b. working on electrical circuits c. working above ground level and there is danger of a fall d. working on a slick surface



Block #3

Lesson Plan #1

Page #1

Examination Key

- <u>a</u> 1.
- <u>b</u> 2.
- <u>c</u> 3.
- _c 4.
- <u>b</u> 5.
- _b_ 6.
- <u>a</u> 7.
- <u>d</u> 8.
- <u>c</u> 9.
- <u>c</u> 10.



Block #3

Lesson Plan #2

Page #1

Lesson Title: Machine Guards <u>Title Transparency 3-14</u>

Clock Hours: 60 minutes

Show Transparency #1

Terminal Objectives: At the conclusion of this lesson the students will

know the hazards of operating machinery and the importance of using guards to prevent injury; and will demonstrate their knowledge by completing with 100% accuracy a 10 question multiple choice examina-

tion on the subject.

Teaching Materials: 1. This lesson.plan

2. Overhead projector

Transparency Pack #3-2
 Examination for Lesson Plan #1 Block #3

5. Examination Key for Lesson Plan #1 Block #3

References: A guide to Voluntary Compliance, U.S. Dept. of Labor, Occupational Safety and Health Administration, Instructors Manual, pp. 15-1 to 16-1.

> Blake, Roland P. Industrial Safety, Prentiss Hall, N.J. 1963, pp. 175-211.

Federal Register, Occupational Safety and Health Standards, 29CFR 1910 Subpart 0.



Block #3	Lesson Plan #2 Page #2
Lesson Outline	Lesson Script
A. Critical Hazards Show Transparency #3-15	The machine operator should be aware of the following critical hazards in machine operations and take steps to eliminate them if they exist:
	 No enclosure or interlock system on revolving container. Exposed fan blades. Fixed location machines not securely anchored. Belts, pulleys or gears not guarded. Inadequate or improperly adjusted guards. Inadequate or no automatic cutoff. Awkward location of controls or adjustments.
	8. Operating-treadle-not-covered 9: No workrest or improperly adjusted workrest. 10. Safety devices bypassed 11. Excessive travel 12. Improper maintenance 13. Improper electrical ground 14. Inadequate eye protection 15. etc.
	If any of the above conditions are noticed the machine should not be operated. If in operation, shut down the machine and notify your supervisor.
B. Importance of guarding Teacher Note: At this point a tour through the school shops or allocal shop should be made for the purpose of observing machine guards and safety hazards. Each student should observe, list and report any machine guarding hazards noted.	Unguarded machinery is a principal source of accidents which cause injury. The severity of injury is normally high. Machines designed to cut wood or metal have little trouble amputating fingers, arms, or legs. Remember that even a temporary lapse of caution can result in severe injury from an unguarded machine.



Block #3

Lesson Plan #1

Page #3

	Lesson rian #1 rage #3
Lesson Outline	Lesson Script
Guard Construction	Guards must be so constructed that they will give optimum protection against: 1. shock 2. burns 3. cuts 4. bruises 5. pinches 6. crushing
Shock Show Transparency #3-16	There are three major causes of electrical shock which must be grarded against. a. ungrounded equipment b. inadequate guarding of exposed circuitry c. inadequate insulation of electrical conductors.
Burns Show Transparency #3-17	Burns are caused by contacting sources of heat such as: 1. material super heated by friction. 2. overheated electrical systems or devices. 3. flames Properly guarded equipment would prevent these injuries.
Cuts, Bruises, Pinches and Crushing Show Transparency #3-18	The causes of cuts, bruises, pinches, and crushing when operating machines are improperly guarded: 1. pinch points - points where two moving parts of a machine separate and come together. 2. shear points - points where two moving parts of a machine pass each other closely. (like scissors) 3. catch points - moving parts of machines which have sharp corners or rough shapes. 4. Run in points - points where two objects are in contact with each other and rotating inward.



OCCUPATIONAL SAFETY AND LEFT.H FOR WORK EXPERIENCE AND O.J. . DAGGRAMS

Block #3	Lesson Plan #경	Page #4
Lesson Outline	!-esso	n Script
Types of Guards Show Transparency #3-19	2. Inturinching in place before a trip ba off until har hands must be	types of machine guard is stationary - The guard must be ore the machine can The guard moves the y from the danger point. photo-electric device r keeps the machine cut nds are clear, or both e used to actuate the a point remote from

Block #3

Lesson Plan #2 Page #1

Examination

This is a multiple choice examination. Place the letter designator for the correct answer or phrase in the space provided at the left of the question.

1.	The severity of injury from accidents caused by operation of unguarded machinery. a. low b. high c. negligible d. favorable
2.	Shock, burns, cuts, and pinches are examples of injuries which could be prevented by: a. larger nursing staffs b. closer supervision c. machine guarding
	d. foremen
3.	 The three major causes of electrical shock a. ungrounded equipment, high voltage, inadequate insulation b. high current, high voltage, ungrounded equipment. c. ungrounded equipment, high current, inadequate guarding of exposed circutry. d. ungrounded equipment, inadequate guarding of exposed circutry, inadequate insulation.
4.	Where two moving parts of a machine come together and then separate is known as: a. shear point b. pinch point c. catch point d. run in point
5.	Moving parts of a machine which have sharp corners or rough shapes are known as: a. run in points b. catch points c. pinch points d. shear points



Block #3

Lesson Plan #2

Page #2

Examination

6.	The point where two objects (such as gears) are in contact with each other and are rotating inward is called: a. pinch point b. catch point c. shear points d. run in points
7.	The point where two moving parts of a machine pass each other closely like scissors is called: a. catch point b. shear point c. run in point d. pinch point
8.	A stationary guard is known as a/an: a. automatic guard b. tripping guard c. interlocking guard d. pinch point
9.	"The guard must be in place before the machine can be operated," describes a/an: a. automatic guard b. tripping guard c. interlocking guard d. fixed guard
10.	"The guard moves the operator away from the danger point," describesa/an: a. automatic guard b. tripping guard c. interlocking guard d. fixed guard



Block #3

Lesson Plan #2

Page #1

Examination Key

	<u>b</u> 1.
	<u>c</u> 2.
	<u>d</u> 3.
	<u>b</u> 4.
	<u>b</u> 5.
	<u>d</u> 6.
	<u>b</u> 7.
	<u>d</u> 8.
Marida -	<u>a</u> 10.



Block #4

Lesson Plan #1

Page #1

Lesson Title: Housekeeping Title Transparency 4-1

Clock Hours: 30 minutes

Show Transparency #1

Terminal Objectives: Upon completion of this lesson plan the students will understand the reasons for good housekeeping, know typical accidents caused from poor housekeeping, and what constitutes good housekeeping; and will demonstrate their knowledge by completing with 100% accuracy a 5 question multiple choice examination on the subject.

Teaching Materials:

This 'lesson plan 1.

Transparency Pack #4-1

3. Overhead Projector

4. Examination Block #4 Lesson Plan #1

Examination Key Block #4 Lesson Plan #1

References:

Blake, Roland P. Industrial Safety, Prentiss Hall,

N.J. 1963, pp. 138-144.

Federal Register, Occupational Safety and Health

Standards, 29CFR1910.



Block #4	Lesson Plan #1 Page #2		
Lesson Outline	Lesson Script		
A. Good Housekeeping Show Transparency #4-2	Good housekeeping not only signifies cleanliness, but a place for everything and everything in its place. In order for this condition to exist constant and proper attention must be given to the condition of the work area.		
A clean place	A place is clean when it is free from unnecessary things.		
An orderly place	It is in order when everything is in its proper place, properly arranged and in proper condition.		
	Note: A clean and orderly work area is not only a safe area, but will impress superiors with your competent management and efficient workmanship.		
B. Typical Accidents Due to Poor Housekeeping Show Transparency #4-3	 Tripping over loose objects Falling articles Slipping on wet or oil floors. Bumping into misplaced materials. Cutting hands or other parts of body on sharp materials. Fires 		
C. Typical Items of Unsafe Housekeeping Show Transparency #4-4	 Excessive material or waste in working area. Aisles congested Tools out of place Waste containers overloaded Chemicals in open containers Oil or water spills Poor lighting Broken glass Nails, hooks, or other exposed projections. 		



Block #4	Lesson Plan #1 Page #3		
Lesson Outline	Lesson Script		
D. Methods of Preventing Poor Housekeeping Accidents	 Plan and layout your work area. Anticipate items that will clutter or otherwise make the work area dangerous such as wax, dust, spillage, etc, and provide for their control: Receptacles for trash Drip pans for liquid spills Container for chips, shavings, etc. Storage bins Use cabinets and holders which are provided for tools. Keep materials in process in proper order. 		



Block #4

Lesson Plan #1

Page #1 ·

Examination

This is a multiple choice examination. Place the proper letter designator for the most correct answer or phrase in the space provided at the left of the question number.

1.	Good Housekeeping is: a. Cleanliness b. A place for everything c. Everything in its place d. All of the above
 	A place is clean when: a. Dust is removed b. Oil is removed c. Free of dirt and oil d. Free from unnecessary things
3.	Of the following, which is not an example of an accident caused by poor housekeeping? a. Slipping on an oily floor b. Cutting fingers on a saw while working with it. c. Cutting hands or other parts of body on loose scrap material. d. Tool falling on foot from workbench
4.	Most oil spillage on floors can be prevented by use of: a. Oil cans b. Use of rags c. Trash receptacles d. Drip pans
5.	Loss of or damage to tools by falling can be prevented by: a. Proper cleaning b. Using them for the proper job c. Returning them to their proper place or container d. Placing them on bench



Block #4

Lesson Plan #1

Page #1

Examination Key

<u>d</u> 1.

d 2.

<u>b</u> 3.

d 4.

<u>c</u> 5.



Block #4

Lesson Plan #2

Page #1

Lesson Title:

Review and Evaluation

Title Transparency #4-5.

Clock Hours: 90 minutes

Terminal Objectives:

At the conclusion of this lesson plan the students should know the general safety rules covered, be able to apply the general safety rules covered to a given area; and will demonstrate their ability for participating in the construction of safety rules for elevators, ladders, scaffolds, and offices; and by completing with 100% accuracy a 50 question true/false examination on the subject.

- Teaching Materials: 1. This lesson plan.
 - 2. Examination #4-2
 - 3. Examination Key #4-2

References:

A Guide to Voluntary Compliance. Student Manual, U.S. Dept. of Labor, OSHA-2088.

Strasser, Aaron, Bohn, Eales. Fundamentals of Safety Education, Macmillan, N.Y., 1964.

Accident Prevention Manual for Industrial Operations. National Safety Council, Chicago, 1972.

Florio, A.E., Stafford, G.T. Safety Education, McGraw-Hill, N.Y., 1962.

Fawcett, H.H., Wood, W.S. Safety and Accident Prevention in Chamical Operations, Interscience Publishers, N.Y., 1965.



65

Block #4

Lesson Plan #2

Page #2

Lesson Outline

Lesson Script

General Safety Instructions

Teachers note: For each block of instruction have class give as many rules as possible - list class rules - add any from lesson script list that they have missed - have each class member make a copy of the list.

Block #1 Fire Safety

This is the last of the series of lesson plans titled, Occupational Safety and Health for Work Experience and O.J.T. Programs. In this session we will review general safety rules in all of the areas covered in the program and apply our knowledge gained from their study to develop some general safety instructions for other areas.

- 1. Inspect all electrical equipment and wiring for, proper grounding, signs of wear, cuts, poor connections, etc., before use.
- Smoke only in designated smoking areas. (better yet - do not smoke at all).
- Keep close check on temperature controls of equipment.
- Lubricate all friction points on a regular schedule.
- 5. Keep open flames away from combustible material and vice-versa.
- 6. Control sparks when open burning.
- Dispose of oily waste or oil impregnated materials in proper container to prevent spontaneous combustion.
- Know the location of fire doors, etc., to be closed in case of fire.
- 9. Keep working stock clean and remove foreign materials from equipment to prevent sparking.
- Keep combustible liquids and chemicals away from sources of heat, shock, pressure, and other chemicals.



11.	Lesson Script Use extreme caution when handling molten substances.
	Use extreme caution when handling molten substances.
12.	
	Insure grounding of all equipment subject to the building and discharge of static electricity especially in a flammable or explostive environment.
13.	When welding or cutting metals insure that all flammable objects are removed or protected.
14.	Use only sparkproof tools and explosion proof lights and electrical equipment in an environment with a heavy concentration of fumes, dusts, vapors, or gasses.
15.	Use only the proper type of extin- guisher and/or agent on fires.
16.	Sound the alarm immediately when fire is discovered.
17.	Do not carry strike matches anywhere.
	Unless fire is extremely small and can be extinguished immediately without aid of an extinguishing agent - do not attempt to extinguish until alarm is sounded.
	Do not handle manually if a machine or equipment can better do the job.
2.	If lifting and carrying by hand first:
	 a. inspect for slivers, jagged edges, burrs, rough or slippery surfaces b. wipe off greasy, wet, slippery, or dirty objects c. remove oil or grease from hands d. remove all trip obstacles in path and insure that there is no spillage to cause slipping.
	14. 15. 16. 17. 18.

Block #4

always wear gloves and safety

use only two wheeled trucks and wheelbarrows which have been equipped with handguards

Block #4	Lesson Plan #2 Page #4
Lesson Outline	Lesson Script
	e. insure that there is sufficient clearance f. consider the size and weight. (do not lift more than can be handled comfortably) g. set feet solidly h. get as close to object to be lifted as possible
e.	3. To lift an object:
	 a. bend legs about 90° at knees b. crouch do not squat c. bend at the hips d. keep back straight e. grip object firmly f. if grip must be changed set object down first g. lift by straightening the legs h. keep back straight
	4. To carry an object:
	a. do not carry a load that you cannot see over or around b. make sure path is clear c. carry close to the body d. to change direction use the feet do not twist at the waist e. keep the back straight f. balance the load g. if load is too heavy or clumsy get help
	h. if two people are carrying balance load and keep level i. when carrying objects on shoulders, use shoulder pads
	E. When using hand operated material handling equipment:
	a. select the equipment best suited to the job

72

ь.

shoes

OCCUPATIONAL SAFETY AND HEALTH FOR WORK EXPERIENCE AND O.J.T. PROGRAMS

Block #4

Lesson Plan #2

Page #5

THE PART OF THE PA		
Lesson Outline		Lesson Script
	d. e. f. g. h. j. k. l. m. n. o. p. q. r. s. t. u.	keep feet from under wheels set brakes or chock wheels when loading balance, let the truck carry the load move at safe speed never walk backwards
6. Machine Handling	a.	materials Before using, perform walk around inspection to determine condition.
	69 73	 check for wear check for broken or cracked parts check for lubrication check for safety guards check cables, ropes, for fraying or other signs of wear check water level in batteries check for unsafe wiring and electrical connections



OCCUPATIONAL SAFETY AND HEALTH FOR WORK EXPERIENCE AND O.J.T. PROGRAMS

Block #4	Lesson Plan #2 Page #6
Lesson Outline	Lesson Script
	(8) check tires for proper inflation (9) check for gas, oil, brake fluid, transmission fluid, and water levels and leaks
	b. never operate equipment when an unsafe condition exists
	c. never operate equipment when not authorized or trained to operate it
· ,	d. never perform service or maintenand on operating equipment - turn it o
	e. never operate at high rate of speed f. check all systems for proper operation
	g. do not use if not operating correct h. remove all foreign matter before operating
7. Handling of Hazardous Materials	a. observe warnings on labels and markings
1. Be compared on a fight of the	b. if uncertain ask your supervisor c. know and observe warnings
	d. wear proper protective equipment
Block #3 Protective Equipment	In hazardous environments where safety engineering is not adequate:
1. Personal Protective Equipment	a. always wear proper hand protectors gloves - pads - etc.
* * * * * * * * * * * * * * * * * * *	b. always wear proper protective clothing - aprons - coveralls -

- ctive coveralls -
- suits etc. always wear proper foot and leg protectors - safety shoes - steel footguards - chemical resistant shoes - non-conductive shoes leggings - boots - etc.
- always wear proper eye and face protectors - spectacles, goggles shields - hoods - etc.
- e. always wear proper hearing protective devices - plugs - muffs



OCCUPATIONAL SAFETY AND HEALTH FOR WORK EXPERIENCE AND O.J.T. PROGRAMS

Block #4

Lesson Plan #2

Page #7

Lancar Outline	Lagran Cavint
Lesson Outline	Lesson Script
	f. always wear proper head pro- tectors - hard hats - safety caps
	<pre>g. always use proper respiratory</pre>
	h. always use proper safety belt when working at heights above ground level
. इ. ए -	i. if in doubt as to the proper equipment, request instruction from qualified person
	j. if in doubt as to how to use equipment, request instruction from qualified person
2. Machine Guards	a. assure that all moving parts are shielded from contact
	b. assure that all electric equipment is grounded
	c. assure that all electrical contacts are shielded d. never disable safety or inter-
	locking devices e. never remove a guard
sense consequences of the sense	f. replace guards that have been removed
	g. never reach into danger zonesh. clean guards before usei. do not readjust guard
·	j. do not start unless guards are in place
	k. lock or tag switches when guards are removed for maintenance
	<pre>1. do not wear loose fitting cloth</pre>
	m. report any unguarded equipment to supervisor
31ock #4	
l. Housekeeping	a. keep work area cleanb. keep work area orderlyc. keep loose objects off of floor



OCCUPATIONAL SAFETY AND HEALTH FOR WORK EXPERIENCE AND O.J.T. PROGRAMS

Block #4

Lesson Plan #2

Page #8

Lesson Outline

Lesson Script

- d. keep scrap in proper containers
- e. empty waste containers before they overflow
- f. remove broken glass
- g. find and remove exposed projections such as nails, hooks, etc.
- h. wipe up spills immediately
- i. use storage bins
- . use drip pans
- k. place tools in proper racks or holders

Review and Evaluation

Teacher note: Have students study their safety rules. Have class in a joint effort construct a set of safety rules for ladders and scaffolds elevators and offices.

Teacher Note: The evaluation for this lesson plan may be used as a final examination and could be used as a preexam also - comparison of the pre-test and post-test could then be used to evaluate the program.

OCCUPATIONAL SAFETY AND HEALTH FOR WORK EXPERIENCE AND O.J.T. PROGRAMS

Block #4

Lesson Plan #2

Page #1

Examination

This is a true/false examination. Place a (\checkmark) check mark in the appropriate space provided at the left of the statement.

True	raise		
T	F	. 1	. All electrical equipment requires grounding.
T	. F	2	. Automatic temperature controls require no monitoring.
T	F	3	. Open burning presents no fire hazard.
T	F	4.	. It is safe to store all chemicals together.
Τ	F	5.	. Sound the alarm before attempting to extinguish fire.
Τ	F	6.	Strike anywhere matches should not be carried.
T	F	7.	Any fire extinguishing agent is better than none.
T	F	8.	Fire doors should be closed to keep fire from spreading.
T	F	9.	Some fire extinguishers may cause fire to spread.
T	F	10.	Friction points should be wiped clean of oil.
	" F	11.	Manual handling of material is preferred to machine handling.
T	F	12.,	If load is too heavy to lift, use another person or a machine.
T	F	13.	Brace a load you are carrying with your knee while changing grip.
T	F	14.	Legs should be kept straight when lifting.
T	F	15.	The back should not be bent when lifting.
T	F	16.	Gloves and safety shoes are not needed when using hand operated material handling equipment as all safety factors are built in.
T	F	17.	The center of gravity should be kept low when loading hand operated material handling equipment.
T	F	18.	When using a two wheel hand truck the handles should always be held as low as possible.



OCCUPATIONAL SAFETY AND HEALTH WORK EXPERIENCE AND O.J.T. PROGRAMS

" 31ock #4

Lesson Plan #2 Page #2

Examination

True	False	9	
T	F	_ 19.	The proper method of moving hand trucks, dollies, etc., is to pushexcept up hill.
T	, F	_ 20.	If jack is not high enough, use extra wooden extender between jack head and load.
T	F	_ 21.	Since time is money in business all material handling should be done as rapidly as you can move.
Τ	F	22.	If material handling equipment has handles, the handles should be stored in the up position.
T	F	23.	Most jacks are dangerous, however, it is safe to work under a load supported by a hydraulic jack without blocking.
turnitusiikumeen	F	24.	To operate material handling material one should have proper instruction and direction.
T	F	25.	It is permissable to use frayed cables and ropes since they are usually under-rated.
T	F	26.	It is O.K., to operate equipment with unsafe conditions as long as they are tagged.
T	. F	27.	Since maintenance personnel are responsible to maintain equipment, you may assume that it is safe to operate.
Ť	F	28.	Since electricity is dangerous, only a qualified electrician may check for unsafe wiring.
T and the same of	F	29.	Checking the proper inflation of tires is the users responsibility.
	F	30.	All hazardous materials require special handling.
T	F	31.	Safety glasses take the place of goggles.
T	F	32.	Hazardous materials are always in special containers, thereby, protective equipment need not be worn.
T	F	33.	Asking your supervisor questions about safety is not a good idea.
The second state of the se	F	34.	Wearing gloves causes clumsiness and should not be done when handling materials.

78

OCCUPATIONAL SAFETY AND HEALTH FOR WORK EXPERIENCE AND O.J.T. PROGRAMS

Block #4

Lesson Plan #2

Page #3

Examination

True	False		
T	F	35.	Hard hats, safety caps, etc., are only to be worn by construction workers.
T	F	36.	Personal protective equipment is a second line of defense and should only be used when engineering cannot eliminate a hazard.
T	F	37.	Hearing protective devices do not eliminate all noise hazards.
T	F	38.	All moving parts of machines must be shielded from contact.
T	F	39.	Modern machinery is constructed so that safety guards are not needed.
T	F	40.	After equipment is placed in operation safety guards must be adjusted.
T	F	41.	Interlocking safety devices may safely be disabled once machines are operating.
T	F	42.	Locking or tagging electrical switches is required when machines are being repaired.
T	F	43.	If machines have no guards, you may assume that they are so designed and thereby safe to operate.
T	F	44.	Inspection of your work area for hazards is your employer's responsibility only.
Τ	F	45.	Cleaning your work area is the job of janitorial personnel.
T	F	46.	Tools should not be returned to racks or containers until the end of the day as you might need them again.
T	F	47'.	Wipe up oil spills and empty trash or scrap containers only at the end of your shift.
T	F	48 .	Loose fitting clothing is dangerous and should not be worn when operating machinery.
Τ	F	49.	Common sense will tell you when a health hazard exists.
T	F	50.	Do not report minor injuries as you will be considered an unsafe worker.



OCCUPATIONAL SAFETY AND HEALTH FOR WORK EXPERIENCE AND O.J.T. PROGRAMS

Block #4

Lesson Plan #2 Page #1

Examination Key

True	False .	True	False		True	False
T	F1.	T	F	23.	Τ	F 45.
T	F <u> </u>	T	F	24.		F
. T	F <u></u> 3.		F 🗸		T	F_
T	F <u>√</u> 4.		F ✓			F 48.
T 🗸	F 5.		F <u></u>			F_ \(\frac{49}{49} \).
T ✓	F 6.		F			F 49. F 50.
'	F 7.	'	<u>-</u>	20.		F <u>√</u> 50.
'	F 8.	- /	F	29.		
- V	r 8.					
<u> </u>	F 9.		F			
T	F <u>/</u> 10.	Τ	F			V MOV. L
T	F <u>✓</u> 11.	T	F	33.		
T	F 12.	T	F	34.		
T	F_ ✓ 10. F_ ✓ 11. F_	T	F	35.		
T	F 14.	T	F	36.		·
T	F 15. F_✓ 16.	T	F	37.		
Τ	F <u>✓</u> 16.	T	F	38.		
T_	F 17.	T	F			
Τ	F_ 18.	Τ				
T 🗸	F 18. F 19.					
T	F 19. F 20.	T	F	42		
	F 21.	` T	F ✓	ДЗ		
	F 22.					
				E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-E-		

NARRATIVE

Introduce the topic and go over the attached questions in class.


Ask that each student complete the form as it applies to his job and return it completed next week.

Sti	ident's Name
SAI	FETY ON THE JOB
1.	List possible safety/health hazards of your position at the place you work:
2.	Possible ways to avoid or neutralize these hazards/reducing accidents:
3.	List safety measures you have learned specifically for your job/equipment you handle:
4.	List safety clothing and/or equipment you should use:
5.	Are there safety rules for driving company vehicles? If yes, list:
6.	Should an accident occur, what is the procedure to be used at your job:
7.	Where is first aid equipment, fire extinguisher, fire alarm (draw area and label those items asked for above on reverse side):
8.	Who among your coworkers has First Aid training? List:
9.	Accidents should be reported to: (Name and position)
10.	What are emergency phone numbers to be used at your work:
	Fire
	Police
	Ambulance
፟ ** €	eck these answers with your supervisor, please, and get his signature.
	(Signature of Supervisor)





The following transparency masters are numbered at the bottom of each page, to correspond with the block they are designed for. (Example: 1-1 is the first transparency for Block 1).



Fire Formula




Physical Hazards are further brokendown into two types;

- a. Damage to property
- b. Injury
 - (1) pain
 - (2) blistering or charring of flesh
 - (3) possible disfigurement
 - (4) possible crippling
 - (5) blindness from heat or light of fire
 - (6) scorching of lungs and air passages
 - (7) Asphyxiation




The health hazards are.

- a. Oxygen deficiency
- b. Toxic fumes, vapors, mists, gases, which are created from increased heating of chemicals liquids, and metals.



23% of all fires are electrical fires




SMOKING (18%)

Smoking cigarettes cause 18% of all fires




FRICTION (10%)

Third leading cause of fire is caused by hot bearings, broken machine parts, etc. resulting in friction heat




Overheated Materials 8%

Flammable liquids and materials in dryers, etc. is the fourth leading cause of fire.



(LISTINGS OF OTHER CAUSES OF FIRE)

HOT SURFACES--BURNER FLAMES-COMBUSTION SPARKS--EXPOSURE-INCENDIARISM--MECHANICAL SPARKS-ACTION--STATIC SPARKS--LIGHTING
MOLTEN SUBSTANCES--CHEMICAL



LESSON TITLE: Recognition of Classes of Fire--Controling Fire -- Extinguishing Fire-- Steps to Take When You Discover a Fire.



CLASS "A" FIRES (Ordinary Solids)



wood



paper



etc.






Class "B" Fires (Liquid) (J)0%(Solvents PAIN Paint AN/A THI Oil Thinner




1-12

96

Class "C" Fires (Electrical)





Magnesium Titanium etc. Four Fire Control Methods

1. Cooling


2. Removing Fuel


3. Removing Oxygen

4. Inhibiting the Reaction




Cooling









Removing Oxygen



Grease Fire



Cover Stopping Oxygen Supply




Wood Fire





With

Stopping Oxygen Supply










Saute




1:10


100

KIND C	APPROVED TYPE OF EXTINGUISHER							
DECIDE THE CLASS OF FIRE YOU ARE FIGHTING	THEN CHECK THE COLUMNS TO THE RIGHT OF THAT CLASS	MATCH FOAM Solution of Aluminum Sulphate and Bicar- bonate of Soda	CAR-BON DIOX-IDE Carbon Dioxide Gas Under Pressure	SODA ACID Bicarbonate of Soda Solution and Sul- phuric Acid	NQUISH PUMP TANK Plain water	ER WITH GAS CART- RIDGE Water Expelled by Carbon Dioxide Gas	MULTI- PUR- POSE	ORDI- NARY DRY CHEM-



HOW TO OPERATE





CARBON DIOXIDE: Discarge as

Close to Fire as Possible. First at Edge of Flames

and Gradually Forward and Upward





PUMPTANK: Place Foot on Footrest and Direct Stream at Base of Flames



DRY CHEMICAL: Direct at the Base of the Flames. In the Case of Class A Fires, Follow

Up by Directing at Remaining Material

the Dry

That is


Chemicals

Burning





(Manual Handling of Materials)





Muscular strain and physical overexertion.





Pinching or smashing of toes and fingers is painful and sometimes crippling.




Horseplay also causes injuries on the job.



Proper Lifting Method

- a. Test weight of item
- b. Have good footing
- c. Squat with knees in front and slightly apart, back straight, arms extended.

LIFT WITH LEGS













Proper method for moving material at arm level.

- a. Test weight of item
- b Lift side of material toward you
- c. Slide to edge of support
 - d Let legs support the weight




MOVING MATERIALS AT HIGHER THAN HEAD LEVEL---

- a. Use assistance of another person
- b. Use special handling equipment for heavy material
- c. Use ladders with care




NEVER CARRY MATERIALS UP AND DOWN LADDERS--HAND BOXES TO PERSON ON FLOOR





NEVER USE DOUBLE EDGE RAZORS FOR OPENING PAPER CARTONS



OPEN WOODEN BOXES AND CRATES WITH PROPER TOOLS



LESSON TITLE: MACHINE HANDLING OF MATERIAL



EQUIPMENT USED IN MATERIAL HANDLING:

- 1. Hand Equipment
- 2. Powered Equipment


a. Rules for safe operation of wheelbarrows.

- 1. If more than one type is available, select the one best suited for the work to be done.
- 2. Check its condition for safe operation
 - a. handles not cracked
 - b. bolts secure
 - c. tires inflated properly
 - d. handguards in place
- 3. Place weight of load over wheel
- 4. Use two steps for starting to move
 - a. lift slowly to balance point
 - b. accelerate slowly



Check path for obstacles

7. Drop it if it gets out of control.





b. Rules for safe operation of twowheel hand trucks.

- 1. There are many special purpose types. Some, for example, designed for kegs, drums, and barrels. Select the correct type for the material to hauled.
- 2. Check for defects
- 3. Keep center of gravity low as possible (place heavy items on bottom)
- 4. Don't overload
- 5. Balance load laterally
- 6. Secure the load
- 7. Push except uphill
- 8. Walk don't run



c. Rules for sate operation of fourwheel handtrucks.


- 1. Check for defects
- 2. Block wheels when loading
- 3. Balance the load
- 4. Keep load below eyelevel or use another worker as a safety guide
- 5. Push-unless pull handle is provided
- 6. When parked insure that pull handle is locked in up resition.





d. Rules for safe operation of dollies.


- 1. Check for defects
- 2. Move and guide by pushing
- 3. If item is bulky and heavy use second man for better control





e. Rules for safe operation of jacks.

- 1. Select a jack that has a capacity as great or greater than the load
- 2. Check for defects
- 3. Set on level base
- 4. Use wooden shim between jack head and load
- 5. Never jack at and angle
- 6. Operate jacking handle from the side
- 7. Operate slowly checking to see that load is secure
- 8. Block load when lifted, don't depend on jack to






LESSON TITLE:

Handling of Hazardous Materials





Materials that present a radiation hazard should be marked with a radiation warning sign.





LABELS FOR BOTTLES


RED	–Flammable materials or extremely dangerous
ORANGE	-Dangerous area or energized Equipment
YELLOW	-Caution
GREEN	-First aid equipment
BLUE	-Equipment being repaired



Air Contaminates

- a. Pneumoconiosis coats the lungs and interferes with breathing may result in cancer.
- b. Poisoning
- c. Skin irritations and alergic reactions.
- d. Bacterial and fungi infections.


e. Nose and throat irritations.






LESSON TITLE:

Personal Protective Equipment







Safety Hats are of 2 general types: Brimless --- Full Brimmed



Hair protective devices are required by those persons with long hair. Safety Caps







Ear Protection b. Ear Muffs




Eye Protection Goggles







Eye and Face Protection (Shields and Hoods)



Air Purifying Equipment

- a. Make use of mechanical filters to remove particulate matter such as dust, fumes, etc.
- b. Use chemical sorbents for removing gases and vapors from air.








Air Supplying Devices--

Supplies fresh air from an outside source.





Hand Protectors



Hand Protectors

Feet and Leg Protectors





3-11 143


Protective Clothing




Wearing safety belts is mandatory when working high above the ground



Lesson Title: Machine Guards




Critical Hazards



Three major causes of electrical shock

- a. Ungrounded equipment
- b. Inadequate guarding of exposed circuitry
- c. Inadequate insulation of electrical conductors






Burns are caused by contacting sources of heat


a. Material super heated by friction

b. Overheated electrical systems or devices





Operating Machines Improperly Causes Cuts, Bruises, Pinches and Crushing




Four types of machine guards: Fixed--Interlocking--Automatic--Tripping






Interlocking








Tripping




CUFF

Lesson Title:

Housekeeping




Good Housekeeping






Typical Accidents Due to Poor Housekeeping




Typical Items of Unsafe Housekeeping





Lesson Title:



WEST VIRGINIA BOARD OF EDUCATION

EXECUTIVE OFFICES

Charleston, West Virginia 25305

Fountie N. Williams, President Clarksburg, 1979

Dr. Carl J. Roncaglione, Vice President Charleston, 1981

Dr. Samuel J. Baskerville, Secretary Charleston, 1980

Perce J. Ross, Member Buckhannon, 1977

James Paul Geary, Member Petersburg, 1978

Ex Officio Member
Dr. Daniel B. Taylor
State Superintendent
West Virginia Department of Education

Bob E. Myers, Member Huntington, 1976

Mary Martha Merritt, Member Beckley, 1983

William M. Smith, Member Follansbee, 1982

Charles H. Wagoner, Member Weston, 1984

Ex Officio Member Dr. Ben L. Morton Chancellor West Virginia Board of Regents

